

EuroScicon Joint event on

Genetics, Cell and Gene Therapy

August 20-21, 2018 Amsterdam, Netherlands

> Biochem Mol biol 2018 Volume: 4 DOI: 10.21767/2471-8084-C3-015

INTIMATE AREA RESHAPING WITH A NEW SPECIFIC HA FILLER

Dawid Serafin

Gynecoligist, Poland

The intervention with dermal filler is indicated in the reshaping of congenital or after weight loss thin labia *majora* and it is also indicated to improve vaginal defects or complications after episiotomy or spontaneous perineal damage. The growing interest to improve the aesthetic and functional intimate area of women, has lead the research to develop specific resorbable injectables to correct and reshape this specific area. Considering that the hypotrofy or atrophy of labia *majora* need a volumizing gel (i.e. elasto-plastic rheological features), but also a gel able to preserve a very natural sensation and projection of the skin, it is of interest a new specific formulation of HA filler. The formulation (Intense ROSE) presents the advantage to use an ultra pure HA as row material (derived from a probiotic bacteria: Bacillus subtilis) and especially to use as stabilizer a polymeric crosslinker (PEG). This polymer allows to create gels with important filling effect (i.e. same volume with less amount of gel compared to other HA filler) and to obtain both very natural results and sensation thanks to the termo-dynamic behaviour of the gel and physiological distribution into the skin layers. The Author will illustrate his personal approach and results in reshaping this area with this specific new formulation.

mail.dawidserafin@gmail.com