

 $2^{\,\text{nd}}$ Edition of EuroSciCon Congress on

Heart Disease and Interventional Cardiology

February 25-26, 2019 Paris, France

Interv Cardiol J 2019, Volume: 5 DOI: 10.21767/2471-8157-C1-006

PHYSICAL EXERCISE PREVENTS MEMORY IMPAIRMENT IN AN ANIMAL MODEL OF HYPERTENSION THROUGH MODULA-TION OF CD39[°] and CD73[°] activities and A_{2A} receptor Expression

Andre´ ia Machado Cardoso^{1,2,3}, Leandro Henrique Manfredi¹, Daniela Zanini², Margarete Dulce Bagatini¹, Jessie´ Martins Gutierres², Fabiano Carvalho², Alain Tremblay^{3,4}, Adriane Bel-Io´Klein⁵, Maribel Antonello Rubin², Vera Maria Morsch², Jean Se´ vigny^{3,4}, and Maria Rosa Chitolina Schetinger⁴

¹Federal University of Fronteira Sul, Campus Chapeco´, Brazil ²CCNE-Federal University of Santa Maria, Brazil ³Université de Montréal, Brazil ⁴Centre de recherche du-CHU de Que´ bec, Universite´ Laval, USA ⁵Health Basic Sciences Institut-UFRGS, Brazil

Central nervous system function has been emerging as an approach to understand hypertension-mediated memory dysfunction, and chronic exercise is able to modulate the purinergic system. Herein, we investigated the effect of chronic swimming training on the purinergic system in cortex and hippocampus of L-NAME-induced hypertensive rats. Male Wistar rats were divided into four groups: control, exercise, L-NAME and exercise L-NAME. Inhibitory avoidance test was used to assess memory status. NTPDase, CD73^b and adenosine deaminase activities and expression, and P2 receptors expression were analyzed. Data were analyzed using two-way ANOVA and Kruskal–Wallis tests, considering P less than 0.05. Physical exercise reduced the blood pressure and prevented memory impairment induced by L-NAME model of hypertension. L-NAME treatment promoted an increase in NTPDase1, NTPDase3 and CD73^b expression and activity in the cortex. A_{2A} expression is increased in hippocampus and cortex in the hypertension group and exercise prevented this overexpression. These changes suggest that hypertension increases adenosine generation, which acts through A_{2A} receptors, and exercise prevents these effects. These data may indicate a possible mechanism by which exercise may prevent memory impairment induced by L-NAME.

deiaa.mc@gmail.com