



















1. Liu L, Johnson HL, Cousens S, Perin J, Scott S, et al. (2012) Global, regional and national causes of child mortality: An updated systematic analysis for 2010 with time trends since 2000. *Lancet*. 379(9832):2151-2161.
2. Bryce J, Gilroy K, Jones G, Hazel E, Black RE, et al. (2010) The accelerated child survival and development programme in west Africa: A retrospective evaluation. *Lancet*. 375(9714):572-582.
3. Victora CG, Wagstaff A, Schellenberg JA, Gwatkin D, Claeson M, et al. (2003) Applying an equity lens to child health and mortality: More of the same is not enough. *Lancet*. 362(9379):233-241.
4. Gove S (1997) Integrated management of childhood illness by outpatient health workers: Technical basis and overview. The WHO Working Group on Guidelines for Integrated Management of the Sick Child. *Bull World Health Organization*. 75(1):7-24.
5. Hamer DH, Brooks ET, Semrau K, Pilingana P, MacLeod WB, et al. (2012) Quality and safety of integrated community case management of malaria using rapid diagnostic tests and pneumonia by community health workers. *Pathog Glob Health*. 106(1):32-39.
6. Chanda P, Hamainza B, Moonga HB, Chalwe V, Pagnoni F (2011) Community case management of malaria using ACT and RDT in two districts in Zambia: Achieving high adherence to test results using community health workers. *Malaria J*. 10:1-8.
7. Mubi M, Janson A, Warsame M, Martensson A, Kallander K, et al. (2011) Malaria rapid testing by community health workers is effective and safe for targeting malaria treatment: Randomised cross-over trial in Tanzania. *PLoS One*. 6(7):19753.
8. Miller NP, Amouzou A, Tafesse M, Hazel E, Legesse H, et al. (2014) Integrated community case management of childhood illness in Ethiopia: Implementation strength and quality of care. *Am J T Med Hyg*. 91(2):424.
9. Shrivastava SR, Shrivastava PS, Ramasamy J (2013) Integrated management of childhood illness: Bringing treatment closer to home. *Progr Health Sci*. 3(2):187-190.
10. Noordam AC, Kuepper BM, Stekelenburg J, Milen A (2011) Improvement of maternal health services through the use of mobile phones. *Trop Med Int Health*. 16:622-626.
11. Smillie K, Borek NV, Kop ML, Lukhwaro A, Li N, et al. (2014) Mobile health for early retention in HIV care: A qualitative study in Kenya (WeTel Retain). *Afr J AIDS Res*. 13(4):331-338.
12. Agarwal S, Perry HB, Long LA, Labrique AB (2015) Evidence on feasibility and effective use of mHealth strategies by frontline health workers in developing countries: Systematic review. *Trop Med Int Health*. 20(8):1003-1014.
13. Henry JV, Winters N, Lakati A, Oliver M, Geniets A, et al. (2016) Enhancing the supervision of community health workers with whatsapp mobile messaging: Qualitative findings from 2 low-resource settings in Kenya. *Glob Health Sci Pract*. 4(2):311-325.
14. Boyce SP, Nyangara F, Kamunyori J (2019) A mixed-methods quasi-experimental evaluation of a mobile health application and quality of care in the integrated community case management program in Malawi. *J Glob Health*. 9(1):10811
15. Kabakyenga J, Barigye C, Brenner J, Maling S, Buchner D, et al. (2016) A demonstration of mobile phone deployment to support the treatment of acutely ill children under five in Bushenyi district, Uganda. *Afr Health Sci*. 16(1):89-96.